



KIOXIA LIGHT RING EQUIPMENT GROUP CO.,LTD.

TEL/WhatsApp: +86 17622605414

Mail: admin@transformercoilwindingmachine.com

Web: www.transformercoilwindingmachine.com



KXD-S17 Double Arms Double Wires Double Sleeves Sleeve Machine



KIOXIA LIGHT RING EQUIPMENT GROUP CO.,LTD.

Add: Building G, No.209 Zhonghuan East Road, Free Trade Zone (Airport Economic Zone), Tianjin



KIOXIA LIGHT RING EQUIPMENT GROUP CO.,LTD.

TEL/WhatsApp: +86 17622605414

Mail: admin@transformercoilwindingmachine.com

Web:www.transformercoilwindingmachine.com



Specification: Main technical parameters: (unit: mm)

	Item	Parameter
1	Spindle	1
2	Maximum Speed	5000 RPM
3	Maximum Skeleton Outer Diameter	85MM
4	Total Sleeve Length	125MM
5	Applicable Wire Diameter	0.1--0.8 MM
6	Control System	KIOXIA LIGHT RING Special Winding Machine Control System
7	Power Supply	AC220V 50HZ
8	Air Supply Spec	0.5--0.6
9	Dimensions	1200(L)*1100(W)*1800(H)
10	Power	3000W
11	Machine Weight	450KG
12	Servo Motors	12 units
13	Structure	2 mechanical arms
14	Usage	Two wire diameters for one machine while winding

KIOXIA LIGHT RING EQUIPMENT GROUP CO.,LTD.

Add: Building G, No.209 Zhonghuan East Road, Free Trade Zone (Airport Economic Zone), Tianjin



KIOXIA LIGHT RING EQUIPMENT GROUP CO.,LTD.

TEL/WhatsApp: +86 17622605414


Mail: admin@transformercoilwindingmachine.com

Web:www.transformercoilwindingmachine.com



FEATURES:

- 1.Completes one transformer winding per cycle with simplified programming, zero-adjustment Sleeve, and automatic positioning
- 2.Flexible and diverse online production mode. Single machine production can be connected to form a production line.
- 3.Start/end terminals can be mounted on arbitrary pins (dual wires in one sleeve cannot be separated).
- 4.Compatible with all standard transformer sizes and complex processes.
- 5.The starting and ending ends can be wrapped around any different foot positions
- 6.The common feeding structure is for both thick and thin wires and it is suitable for the production of both thick and thin wires simultaneously.



Packaging

Packaging Material: Carton/Wooden case with foam inside. 1. General package(Paper carton or plastic bag): For small equipped parts for Digital CNC Wire Coil Winding Machine, Package it with form and pack paper to guarantee unbroken during the transport. 2.Wooden case package: For larger scale Digital CNC Wire Coil Winding Machine ,we have special skilled carpenter, who would make the proper wooden case with exact thickness, density,length. The up arrow ↑marked on the outer wooden case. Buffer material would be put in the wooden case to prevent crack and shock.

KIOXIA LIGHT RING EQUIPMENT GROUP CO.,LTD.

Add: Building G, No.209 Zhonghuan East Road, Free Trade Zone (Airport Economic Zone), Tianjin


KIOXIA LIGHT RING EQUIPMENT GROUP CO.,LTD.



TEL/WhatsApp: +86 17622605414

Mail: admin@transformercoilwindingmachine.com

Web: www.transformercoilwindingmachine.com



Market Area

We work closely with Southeast Asia, European, America, South America, Australia, New Zealand partners to provide local sales, support and service assistance for coil winding machines.

FACTORY:

KIOXIA LIGHT RING EQUIPMENT GROUP CO.,LTD.

Founded in 1993, KIOXIA LIGHT RING EQUIPMENT GROUP CO.,LTD. has been a well-known manufacturing excellent performance winding machines together with associated production and technology. KIOXIA LIGHT RING provide highly cost effective manufacturing solutions for the production of the wound components of all types such as transformers, chokes etc.

KIOXIA LIGHT RING EQUIPMENT GROUP CO.,LTD.

Add: Building G, No.209 Zhonghuan East Road, Free Trade Zone (Airport Economic Zone), Tianjin

KIOXIA LIGHT RING EQUIPMENT GROUP CO.,LTD.



TEL/WhatsApp: +86 17622605414

Mail: admin@transformercoilwindingmachine.com

Web: www.transformercoilwindingmachine.com



KIOXIA LIGHT RING EQUIPMENT GROUP CO.,LTD.

Add: Building G, No.209 Zhonghuan East Road, Free Trade Zone (Airport Economic Zone), Tianjin